



Carrie Eklund
Central Services Manager
Finance Department

INVITATION FOR BID RURAL STREET & PARKWOOD AVENUE STORM SEWER 913-PW-123

Bids will be received until **11:00 a.m.**, local time, on **Monday, October 28, 2013**, at the office of the Central Services Manager, City Hall Building, 425 East State Street, Rockford, Illinois 61104. At that time and place all bids received will be publicly opened and read aloud.

Bids will be accepted until the specified opening time and date. Any bidder attempting to deliver after the opening time and date will be refused.

Bid forms may be obtained at the office of the Central Services Manager for a non-refundable charge of \$30.00. Bids must be enclosed in a sealed envelope and marked with the name of the bid, and the bid number.

Each bidder shall submit with his bid the information specified in the bid documents for compliance with the laws of the State of Illinois on Fair Employment Practices and with the City of Rockford's Ordinance on Equal Employment and Business Opportunity. Any bid which fails to include the compliance items properly completed will not be read and will not be considered.

The City of Rockford reserves the right to accept or reject any and all proposals and to waive technicalities.

Dated: October 10, 2013

FINANCE AND PERSONNEL COMMITTEE

Carrie Eklund
Central Services Manager

SCHEDULE OF PRICES

City of Rockford

Project Name: Rural/Parkwood Storm Sewer



Item No.	Items	Units	Quantity	Unit Price	Total
1	Hot-Mix Asphalt Surface Removal, 2.5"	S.Y.	1858		
2	Bituminous Materials (Prime Coat)	Gal	186		
3	Aggregate (Prime Coat)	Tons	10		
4	Polymerized Leveling Binder, IL-4.75, N50, 1"	Tons	112		
5	Hot-Mix Asphalt Binder Course, IL 12.5, N50, 2.5"	Tons	30		
6	Hot-Mix Asphalt Surface Course, Mix "C", N50, 1.5"	Tons	218		
7	Aggregate Base Course, Type B, CA-6, 6"	Tons	814		
8	Class B Patch, Type IV, 8"	S.Y.	432		
9	Dowel Bars, 1.5" Diameter	Each	762		
10	No. 6 Transverse Tie Bars	Each	30		
11	Manholes to be Adjusted	Each	2		
12	Manholes to be Reconstructed	Each	1		
13	Inlet to be Reconstructed	Each	1		
14	Approach Pavement Removal	S.Y.	31		
15	Combination Curb and Gutter Removal	L.F.	306		
16	Sidewalk Removal	S.F.	505		
17	P.C.C. Approach Pavement, 6"	S.Y.	31		
18	P.C.C. Sidewalk, 4"	S.F.	505		
19	Detectable Warnings, ADA Ramps	S.F.	32		
20	Combination Concrete Curb and Gutter, Type M-6.18 (Modified)	L.F.	306		
21	Manholes to be Removed	Each	1		
22	Storm Sewers R.C.C.P. Type 3, 24"	L.F.	545		
23	Storm Sewers R.C.C.P. Type 2, 12"	L.F.	33		
24	Storm Manhole Type A, 5' Diameter	Each	1		
Page 1		Sub Total	As read		
			As corrected		

