



Carrie Eklund
Central Services Manager
Finance Department

**INVITATION TO BID
DEMOLITION OF 1417 11TH STREET
BID NO.: 715-CD-095**

7/28/15

Name of Bidding Firm: _____

Address _____ City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____

E-Mail: _____

Bid Opening Time and Date 11:00 a.m., Local Time, Wednesday, August 19, 2015

Bids will be accepted until the specified opening time and date. Any bidder attempting to deliver after the opening time and date will be refused.

Bid Deposit/Bid Bond: NO
Prevailing Wage YES
Performance Bond: NO

PLEASE MARK THE RETURN SEALED ENVELOPE:

1. Bid Opening Date and Time
2. Title of Job
3. Bid Number

RETURN BIDS TO:

City of Rockford
Central Services Manager
425 East State Street, 4th Floor
Rockford, Illinois 61104

BIDS SUBMITTED BY FASCIMILE OR E-MAIL WILL NOT BE ACCEPTED

BID RESULTS:

Bid results may be obtained by telephone at 779-348-7164, by fax at 800-380-7174. or at www.rockfordil.gov

CITY OF ROCKFORD, ILLINOIS—BIDDING GENERAL CONDITIONS

1. Pricing. The bidder shall insert price for all bid items and all other information requested in these specifications. The price shall be the *full, delivered cost* to the City of Rockford with no additions.
2. Total versus “Per Item” Awards. The City generally awards contracts based on a lump sum basis to the lowest responsible and responsive bidder. However, the City may choose to award on a per item basis. Therefore, each bidder must submit pricing for each item indicated on the bid forms. Bidders must clearly indicate which items are bid and which are not.
3. Delivery of Merchandise. Delivery terms will always be Freight On Board (FOB)—Destination. The City of Rockford accepts no responsibility for the condition of any merchandise purchased prior to acceptance by City Personnel. Failure to comply with this requirement may constitute rejection of the bid.
4. Acceptance of Merchandise at Delivery. The City of Rockford reserves the right to refuse acceptance of delivered merchandise that differs substantially from the specifications in this invitation to bid or as otherwise permitted by Illinois law.
5. Prompt Payment Act. The City of Rockford intends to comply with the governmental prompt payment act. The awarded vendor will be paid upon submission of invoices to: City of Rockford Accounts Payable, 425 East State Street, Rockford, IL 61104.
6. W-9 Request for Taxpayer Identification Number. Prior to issuance of a purchase order, the successful bidder will be required to supply the City of Rockford with a federal W-9 Request for Taxpayer Identification Number and Certification. Failure to comply with this requirement will be considered a violation of contract terms, for which the City may bar the vendor from bidding for a period of up to three years.
7. Legal Compliance. The vendor awarded this contract will comply with all Federal, State, County, and City laws, ordinances, rules and regulations, which in any manner affect the product or service placed for bid herein. Lack of knowledge on the part of the awarded vendor of applicable law will in no way be cause for release of this obligation. If the City becomes aware of violation of any laws, ordinances, rules and regulations on the part of the awarded vendor, it reserves the right to reject any bid, cancel any contract, and pursue any other legal remedies deemed necessary.
8. Legal Requirements. This contract sets forth the entire final agreement between the City of Rockford and the bidder and shall govern the respective duties and obligations of the parties. The validity of this contract, and any disputes arising from the contract, shall be governed by the laws of the State of Illinois. Any litigation under this agreement shall be resolved in the trial courts of Winnebago County, State of Illinois. Should a provision of this contract be declared invalid by a court of competent jurisdiction, it shall not affect the validity of the remaining provisions of the contract.
9. Safety. Prevention of accidents at any project is the sole responsibility of the awarded vendor and its subcontractors, agents, and employees. The awarded vendor, its subcontractors, agents, and employees shall be fully and solely responsible for the safety of this project. The awarded vendor shall retain exclusive and direct control over the acts or omissions of its subcontractors, agents and employees, and any other persons performing portions of the work and not directly employed by the awarded vendor.

10. Criminal Background Check. When necessary for the protection of citizens and/or City staff, the City may require an awarded vendor to conduct a criminal background check on all of its personnel who will have direct contact with City facilities or residents/businesses served under this contract. Personnel are defined as representatives, agents, employees, subcontractors, or anyone else who will be utilized to fulfill obligations under this contract. Criminal background checks, at a minimum, shall consist of a county level felony and misdemeanor check for each county in which the personnel resided in the last 10 years. The awarded vendor shall notify the City of any of its personnel who have been convicted of a felony or misdemeanor prior to commencing any work under this contract. At the City's discretion, personnel with any felony or misdemeanor convictions which raise a concern about the safety of building, property, or City staff/resident's personal security, or is otherwise job related (as determined by the City) shall not perform work under this contract. Once given notice that a background check(s) will be required, it must be completed within 14 calendar days so as to not delay work to be completed.

11. Control of the Work. With respect to the awarded vendor's own work, the City shall not have contractual, operational, and/or supervisory control over and/or charge of the work and shall not be responsible for construction means, methods, techniques, sequences, procedures, and programs in connection with the awarded vendor's work, since these are solely the vendor's responsibility under the agreement. The City shall not be responsible for the awarded vendor's failure to carry out the work in accordance with the agreement's terms and conditions. The City shall not have control over and/or charge of acts or omissions of the awarded vendor, its subcontractors, and/or their agents or employees, or any other person performing portions of the work not directly employed by the awarded vendor. The awarded vendor shall be considered to be an "independent contractor" pursuant to Illinois law.

12. Bid Bond. When required on the cover sheet, a bid bond for not less than 5 percent of the bid amount must accompany all bids as a guarantee that if the bid is accepted, the bidder will execute and file the proper contract. A bank cashier's check, bank draft, or certified check equal to the amount specified is acceptable in lieu of a bid bond. Bid bonds of the two lowest firms will be retained until the contract is awarded.

13. Performance Bond. When required by the specifications herein, the awarded vendor shall furnish a performance bond equal to the amount of the contract, acceptable to the City, within 14 calendar days after notification of contract award. Failure to furnish the required bond within the time specified may be cause for rejection of the bid and any bid deposit may be retained by the City as liquidated damages and not as a penalty.

14. Taxes. No charge will be allowed for taxes from which the City of Rockford, Illinois is exempt. The City of Rockford, Illinois is not liable for the Illinois Retailers' Occupation Tax, the Service Occupation Tax or the Service Use Tax. The City is exempt from the Federal Excise and Transportation Tax.

15. Withdrawal of Bids. Firms may withdraw or cancel their bids at any time prior to the advertised invitation to bid opening. After the opening time, no bid shall be withdrawn or cancelled. All bids shall be firm and valid for a period of sixty (60) calendar days. If a bidder to whom a contract is awarded refuses to accept the award, the City may, at its discretion, suspend the bidder for a period of time up to three (3) years.

16. Subcontracting. The bidder shall provide information for all subcontractors, leased operators/equipment, and suppliers and all other information requested in the Subcontractor and Supplier Detail Forms attached. Requests for deviations from the completed detail forms submitted must be made in writing, and reviewed and approved by the City's Diversity Procurement Officer and the Central Services Manager or designee. The awarded vendor may not subcontract any portion of the contract after award without written consent of the City of Rockford

Central Services Manager. When subcontractors are used, the awarded vendor is required to pay subcontractors promptly after completion of work. Delay of payment is prohibited.

17. Termination of Contract. The City of Rockford reserves the right to terminate the contract in its entirety or in portions, upon written notice to the awarded vendor, if the Rockford City Council does not appropriate sufficient funds to complete the contract or in the event of default by the awarded vendor. Default is defined as failure of the awarded vendor to perform any of the provisions of this contract or failure to make sufficient progress so as to endanger performance of this contract in accordance with its terms. In the event of default, the City may purchase the product(s) and/or service(s) from other sources and hold the defaulting company responsible for any excess costs occasioned thereby. The City may require payment of liquidated damages for non-performance. Should default be due to failure to perform or because of a request for a price increase, the City reserves the right to remove the firm from the City's bidder list for a period of up to three years.

18. Late Bids and Proposals. Regardless of cause, late bids and proposals will not be accepted and will automatically be disqualified from further consideration. It shall be solely the vendor's risk to ensure delivery at the designated office by the designated time. Late bids and proposals will not be opened and may be returned to the awarded vendor at their request and expense.

19. EEO Forms. Each firm shall be required to submit with its bid information all EEO forms included in the invitation to bid package. Any bid which fails to include the properly completed compliance items will not be read and will not be considered. All subcontractors shall also be required to comply with the same EEO forms as the firm.

20. Restrictive or Ambiguous Specifications. It is the responsibility of the bidding firm to review the invitation to bid specifications and to notify the Central Services Manager if the specifications are formulated in a manner that would unnecessarily restrict competition. Any such protest or question regarding the specifications or invitation to bid procedures must be received by the Central Services Division not less than seventy-two hours prior to the time set for the opening. In the event a contract term is not defined within the contract document, the term will be given its ordinary dictionary definition.

21. Bid Protest. Firms wishing to protest bids or awards shall notify the Central Services Manager in writing within 7 days after the invitation to bid opening. The notification should include the bid number, the name of the firm protesting, and the reason why the firm is protesting the bid. The Central Services Manager will respond to the protest within seven (7) calendar days. A successful protest may result in the reversal of a previously awarded contract.

22. Disputes. In case of disputes as to whether or not an item or service quoted or delivered meets specifications, the decision of the Central Services Manager, or authorized representative shall be final and binding to all parties. The Central Services Manager has the right to waive technicalities as they see fit. The Central Services Manager may request a written recommendation from the head of the department using the equipment or service being procured.

23. Exceptions. Any deviations from these specifications shall be noted and submitted with the bid. Failure to address deviations from specifications may result in bid rejection.

24. Acceptance/Rejection of Bids. The City of Rockford reserves the right to accept or reject any or all bids or proposals at any time, for any reason, including but not limited to the Rockford City Council not appropriating

sufficient funds to purchase equipment or complete the contract. The City may make awards in any manner deemed in the best interest of the City.

25. Prevailing Wage. When indicated on the cover page of this document, this contract calls for the construction of a "public work," within the meaning of the Illinois Prevailing Wage Act, 820 ILCS 130/.01 *et seq.* ("the Act"). The Act requires awarded vendors and subcontractors to pay laborers, workers, and mechanics performing services on public works projects no less than the "prevailing rate of wages" (hourly cash wages plus fringe benefits) in the county where the work is performed. When required, awarded vendors are responsible for paying current prevailing wage rates, as posted on the Illinois Department of Labor's website at: <http://www.state.il.us/agency/idol/rates/rates.HTM>. It is the awarded vendor's responsibility to verify current wage rates, as they are updated monthly. All awarded vendors and subcontractors rendering services under this contract must comply with all requirements of the Act, including but not limited to, all wage, notice, and record keeping duties.

26. Certified Payroll. All Certified Payroll reports required to be submitted under the Prevailing Wage Act, 820 ILCS 130, must be submitted monthly via email, in Excel or some format compatible with Excel, to certified.payroll@rockfordil.gov.

27. Substance Abuse Prevention. When required by Illinois State Statutes, awarded vendors must have in place and file with the City a written program for prevention of substance abuse among its employees. This program must include pre-hire, random, reasonable suspicion, and post-accident drug and alcohol testing, as required by the Substance Abuse Prevention on Public Works Projects Act.

28. Apprenticeship Requirement. For construction contracts over \$50,000, awarded vendors must participate in apprenticeship and training programs approved and registered with the United States Department of Labor's Bureau of Apprenticeship and Training for all Trades that will be in the awarded vendor's (or his subcontractor's) employment, with each worker receiving the required apprenticeship/training appropriate to his trade. Owners or work performed by owners is not exempt from the apprenticeship and training requirement.

29. Indemnification. To the fullest extent permitted by law, the awarded vendor shall indemnify and hold harmless the City, its officers, representatives, elected and appointed officials, agents, and employees from and against all claims, damages, losses and expenses, including but not limited to attorney's fees, arising out of or resulting from the awarded vendor's performance of work under this agreement, and indemnifies and agrees to defend and hold harmless the City against any and all losses, claims, damages, and expenses arising from the work performed hereunder of the erection, construction, placement, or operation of any scaffold, hoist, crane, stay, ladder, support, or other mechanical contrivance in connection with such work including but not limited to losses, claims, damages, and expenses arising pursuant to claims asserted against the City pursuant to theories premised upon section 414 of the Restatement (Second) of Torts and section 343 of the Restatement (Second) of Torts.

This indemnification agreement shall not be limited in any way by any limitations on the amount or type of damages, compensation, or benefits payable by or for the awarded vendor under Worker's Compensation Acts, disability benefit acts, or other employee benefit acts, and serves as an express agreement to waive the protection of *Kotecki v. Cyclops Welding Corp.*, 146 Ill.2d 155, 585 N.E.2d 1023 (1991) in Illinois.

Further, the awarded vendor agrees that it is solely responsible for compliance with all safety laws applicable to the work performed hereunder, including but not limited to the Occupational Safety and Health Act of 1970 and the Construction Safety Act of 1960 and all standards and regulations which have been or shall be promulgated by the agencies which administer the Acts.

Under no circumstances shall the awarded vendor, its subcontractors, agents, and employees be required to indemnify the City for its own negligence.

30. Officers. Each bidder affirms, by submission of a response to this bid or request for proposals, that no officer of the City of Rockford, Illinois, is directly or indirectly interested in the proposal for any reason of personal gain.

31. Non-Waiver. The failure by the City to require performance of any provision shall not affect the City's right to require performance at any time thereafter, nor shall a waiver of any breach or default of this contract constitute a waiver of any subsequent breach or default or a waiver of the provision itself.

32. Professional Services Selection Act. The City of Rockford intends to comply with 50 ILCS 510/5 governing the selection of professional services. Any reference in these terms and conditions to supplying pricing or price as a determining factor in selection do not apply for services covered by said act.

33. The City of Rockford reserves the right to accept or reject any and all proposals and to waive technicalities in submitted bids.

**BID REQUIREMENTS FOR
EQUAL EMPLOYMENT OPPORTUNITY**

All bidders seeking to do business with the City of Rockford are **REQUIRED** to submit with any formal, sealed bid all of the following documents and information, attached herewith, completed and signed:

1. Equal Employment Opportunity Affirmative Action Plan Statement of Policy.
2. The Statement of Non-Compliance and Certificate of Non-Segregated Facilities.
3. The Contractor or Vendor Workforce Data Form listing all current employees, by classification, directly employed by the bidder. All categories of information requested must be supplied.
Note: The number of employees must be entered under each category (no check marks)

Below are the Federal definitions of the following racial groups accepted as minorities by the City of Rockford:

Black: A person having origins in any of the Black racial groups of Africa, not of Hispanic origin.

Hispanic: A person of Spanish or Portuguese culture with origins in Mexico, South or Central America, or the Caribbean Islands, regardless of race.

Asian: A person having origins in any of the original peoples of the Far East, Southeast Asia, the Indian subcontinent, or the Pacific Islands. This area includes for example, China, Japan, Korea, the Philippine Republic and Samoa.

American Indian or Alaskan Native: A person having origins in any of the original peoples of North America.

4. Your State of Illinois Pre-Qualification Certification Number, issued by the Illinois Department of Human Rights for the Illinois Department of Human Rights Act, **must provide expiration date entered in the place provided therefore.**
5. Certificate of Non-Barred Bidding
6. All executed Subcontractor/Leased Operator and Supplier forms.

If you have not obtained your State of Illinois Pre-Qualification Number (item #4), by signing these documents you agree to make application for this number within 30 days from the date of bid opening.

ANY BID WHICH FAILS TO INCLUDE THE CITY OF ROCKFORD EEO PAGES 2, 4, 5, 6, AND 7, COMPLETED AND SIGNED WITH YOUR SEALED BID WILL NOT BE READ AND WILL NOT BE CONSIDERED – NO EXCEPTIONS.

Falsification of any required Equal Employment Opportunity or Affirmative Action information on the part of the bidder could result in rejection of the bid submitted or in the case where a contract has already been awarded, in the cancellation of said contract.

Any questions pertaining to E.E.O. requirements should be addressed to Ron Moore, Diversity Procurement Officer, Legal Department, 425 East State Street, Rockford, Illinois 61104, Phone: : (779) 348-7396 or ron.moore@rockfordil.gov

EQUAL EMPLOYMENT OPPORTUNITY
AFFIRMATIVE ACTION PLAN
STATEMENT OF POLICY

It is the policy of this company, _____
to provide equal employment opportunity without regard to race, religion, color, national origin, handicap, age or sex through a program of positive action affecting all employees. In this program, our company carries out the requirements of Federal Executive orders 11246 and 11375, Civil Rights Act of 1964, Equal Employment Act of 1972, and all other applicable laws, and indicates its active support of the principle of equal opportunity in employment.

At present, _____ % of our work force are minorities and _____ % of our work force are females, and we will attempt to utilize minorities and females through a positive, continuing program in all jobs for which we contract in the future. Our company will utilize referrals from the City of Rockford's Diversity Procurement Officer for use of minorities and females regarding any future job vacancies.

It is also our intent to make efforts to purchase supplies or equipment from small business concerns located in the City of Rockford or counties of Winnebago or Boone and owned in substantial part (at least 51 per cent) by minorities or females.

_____ is the official who will be responsible for implementing this policy statement.

_____ will be designated as the Equal Opportunity Officer in our company, responsible for submission of all required equal employment opportunity documents.

In addition, _____ is hereby authorized to sign payroll as well as this company's officers. (NOTE: If only officers will be authorized to sign payrolls, please fill in "No One" in this space.)

STATEMENT OF NONCOMPLIANCE

If the equal employment opportunity hearing committee determines that a contractor, subcontractor/leased operator of equipment or bidder is not in compliance with this chapter, (also known as Chapter 11, Article III the City of Rockford Equal Opportunity Employment Ordinance), the hearing committee shall issue and serve upon such person a written statement of noncompliance setting forth the manner in which it finds such person has violated this chapter, and imposing and/or requiring appropriate sanctions, including, but not limited to any and/or all of the following:

- a. Denying, suspending or revoking qualifications, or declaring the contractor or subcontractor irresponsible and ineligible for future contracts or subcontracts until such time as the contractor or subcontractor shall demonstrate to the equal employment opportunity hearing committee that it is in compliance;
- b. Withholding or delaying payment on the contractor or;
- c. Suspending, avoiding or canceling contract work.

CERTIFICATION OF NON-SEGREGATED FACILITIES

The bidder certifies that he/she does not maintain or provide for his/her employees any segregated facilities at any of his/her establishments, and that he/she does not permit his/her employees to perform their services at any location, under his/her control, where segregated facilities are maintained. The bidder agrees that a breach of this certification will be a violation of the Equal Opportunity clause in any contract resulting from acceptance of this bid.

The bidder agrees that (except where he/she has obtained identical certification from proposed subcontractors/leased operators of equipment for specific time periods) he/she will obtain identical certification from proposed subcontractors/leased operators of equipment from the provisions of the Equal Opportunity clause, and that he/she will retain such certification in his/her files.

CERTIFICATE OF NON-BARRED BIDDING

The undersigned certifies that it is not barred from bidding on this contract as a result of a conviction for the violation of State laws prohibiting bid rigging or bid rotating. The undersigned also certifies that current or prospective employees, contractors, and subcontractors/leased operators of equipment are not listed as Excluded Individuals/Entities with the US Government, as maintained by the US General Services Administration.

By signing below, the firm agrees that all information provided in the previous pages is accurate, and that if the firm below does not currently have a Department of Human Rights number they will apply for one within thirty days with the State of Illinois.

Authorized Signature

Title

Firm

Our firm is a:

Minority Business Enterprise

City-Certified?

Yes

No

Women Business Enterprise

City Certified?

Yes

No

Neither

(Revised 12/21/09)

Subcontractor/Leased Operator of Equipment Detail Form
City of Rockford

Firms submitting bids must supply information on Subcontractors/Leased Operators of Equipment selected for work on the project specified. It is required that Subcontractors/Leased Operators of Equipment listed below will be utilized for actual construction should the firm be awarded a contract. Any deviations from the list below require notice in writing and approval by the Diversity Procurement Officer, Central Services Manager, or their designee. This form may be duplicated if additional space is necessary, all pages must be signed, and submitted.

Subcontractor/Leased Operator Information		Type of Work Supplied	MBE/WBE Business?	Dollar Amount	Subcontract Percent of Bid Total
Please provide business name and address, and a contact person.		Describe the work the subcontractor/leased operator will perform for this contract.			
Name _____	_____	_____	Y <input type="checkbox"/> N <input type="checkbox"/>	\$ _____	_____ %
Address _____	_____	_____			
City, State _____	_____	_____			
Contact _____	_____	_____			
Name _____	_____	_____	Y <input type="checkbox"/> N <input type="checkbox"/>	\$ _____	_____ %
Address _____	_____	_____			
City, State _____	_____	_____			
Contact _____	_____	_____			
Name _____	_____	_____	Y <input type="checkbox"/> N <input type="checkbox"/>	\$ _____	_____ %
Address _____	_____	_____			
City, State _____	_____	_____			
Contact _____	_____	_____			
Name _____	_____	_____	Y <input type="checkbox"/> N <input type="checkbox"/>	\$ _____	_____ %
Address _____	_____	_____			
City, State _____	_____	_____			
Contact _____	_____	_____			
Name _____	_____	_____	Y <input type="checkbox"/> N <input type="checkbox"/>	\$ _____	_____ %
Address _____	_____	_____			
City, State _____	_____	_____			
Contact _____	_____	_____			

The bidder intends to Subcontract/Lease Operators of Equipment for _____% of the total contract with MBE/WBE firms.

Signed _____

Title _____

Date _____

Request for Taxpayer Identification Number and Certification

**Give Form to the
 requester. Do not
 send to the IRS.**

Print or type See Specific Instructions on page 2.	1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.	
	2 Business name/disregarded entity name, if different from above	
	3 Check appropriate box for federal tax classification; check only one of the following seven boxes: <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____ Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner. <input type="checkbox"/> Other (see instructions) ▶ _____	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from FATCA reporting code (if any) _____ <i>(Applies to accounts maintained outside the U.S.)</i>
	5 Address (number, street, and apt. or suite no.)	Requester's name and address (optional)
	6 City, state, and ZIP code	
	7 List account number(s) here (optional)	

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

Social security number	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25px; height: 25px;"></td> </tr> </table>												
or													
Employer identification number	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25px; height: 25px;"></td> </tr> </table>												

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Sign Here	Signature of U.S. person ▶ _____	Date ▶ _____
------------------	----------------------------------	--------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding? on page 2.

By signing the filled-out form, you:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
- Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.

Note. If you are a U.S. person and a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien;
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States;
- An estate (other than a foreign estate); or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax under section 1446 on any foreign partners' share of effectively connected taxable income from such business. Further, in certain cases where a Form W-9 has not been received, the rules under section 1446 require a partnership to presume that a partner is a foreign person, and pay the section 1446 withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid section 1446 withholding on your share of partnership income.

In the cases below, the following person must give Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States:

- In the case of a disregarded entity with a U.S. owner, the U.S. owner of the disregarded entity and not the entity;
- In the case of a grantor trust with a U.S. grantor or other U.S. owner, generally, the U.S. grantor or other U.S. owner of the grantor trust and not the trust; and
- In the case of a U.S. trust (other than a grantor trust), the U.S. trust (other than a grantor trust) and not the beneficiaries of the trust.

Foreign person. If you are a foreign person or the U.S. branch of a foreign bank that has elected to be treated as a U.S. person, do not use Form W-9. Instead, use the appropriate Form W-8 or Form 8233 (see Publication 515, Withholding of Tax on Nonresident Aliens and Foreign Entities).

Nonresident alien who becomes a resident alien. Generally, only a nonresident alien individual may use the terms of a tax treaty to reduce or eliminate U.S. tax on certain types of income. However, most tax treaties contain a provision known as a "saving clause." Exceptions specified in the saving clause may permit an exemption from tax to continue for certain types of income even after the payee has otherwise become a U.S. resident alien for tax purposes.

If you are a U.S. resident alien who is relying on an exception contained in the saving clause of a tax treaty to claim an exemption from U.S. tax on certain types of income, you must attach a statement to Form W-9 that specifies the following five items:

1. The treaty country. Generally, this must be the same treaty under which you claimed exemption from tax as a nonresident alien.
2. The treaty article addressing the income.
3. The article number (or location) in the tax treaty that contains the saving clause and its exceptions.
4. The type and amount of income that qualifies for the exemption from tax.
5. Sufficient facts to justify the exemption from tax under the terms of the treaty article.

Example. Article 20 of the U.S.-China income tax treaty allows an exemption from tax for scholarship income received by a Chinese student temporarily present in the United States. Under U.S. law, this student will become a resident alien for tax purposes if his or her stay in the United States exceeds 5 calendar years. However, paragraph 2 of the first Protocol to the U.S.-China treaty (dated April 30, 1984) allows the provisions of Article 20 to continue to apply even after the Chinese student becomes a resident alien of the United States. A Chinese student who qualifies for this exception (under paragraph 2 of the first protocol) and is relying on this exception to claim an exemption from tax on his or her scholarship or fellowship income would attach to Form W-9 a statement that includes the information described above to support that exemption.

If you are a nonresident alien or a foreign entity, give the requester the appropriate completed Form W-8 or Form 8233.

Backup Withholding

What is backup withholding? Persons making certain payments to you must under certain conditions withhold and pay to the IRS 28% of such payments. This is called "backup withholding." Payments that may be subject to backup withholding include interest, tax-exempt interest, dividends, broker and barter exchange transactions, rents, royalties, nonemployee pay, payments made in settlement of payment card and third party network transactions, and certain payments from fishing boat operators. Real estate transactions are not subject to backup withholding.

You will not be subject to backup withholding on payments you receive if you give the requester your correct TIN, make the proper certifications, and report all your taxable interest and dividends on your tax return.

Payments you receive will be subject to backup withholding if:

1. You do not furnish your TIN to the requester,
2. You do not certify your TIN when required (see the Part II instructions on page 3 for details),

3. The IRS tells the requester that you furnished an incorrect TIN,
4. The IRS tells you that you are subject to backup withholding because you did not report all your interest and dividends on your tax return (for reportable interest and dividends only), or
5. You do not certify to the requester that you are not subject to backup withholding under 4 above (for reportable interest and dividend accounts opened after 1983 only).

Certain payees and payments are exempt from backup withholding. See *Exempt payee code* on page 3 and the separate Instructions for the Requester of Form W-9 for more information.

Also see *Special rules for partnerships* above.

What is FATCA reporting?

The Foreign Account Tax Compliance Act (FATCA) requires a participating foreign financial institution to report all United States account holders that are specified United States persons. Certain payees are exempt from FATCA reporting. See *Exemption from FATCA reporting code* on page 3 and the Instructions for the Requester of Form W-9 for more information.

Updating Your Information

You must provide updated information to any person to whom you claimed to be an exempt payee if you are no longer an exempt payee and anticipate receiving reportable payments in the future from this person. For example, you may need to provide updated information if you are a C corporation that elects to be an S corporation, or if you no longer are tax exempt. In addition, you must furnish a new Form W-9 if the name or TIN changes for the account; for example, if the grantor of a grantor trust dies.

Penalties

Failure to furnish TIN. If you fail to furnish your correct TIN to a requester, you are subject to a penalty of \$50 for each such failure unless your failure is due to reasonable cause and not to willful neglect.

Civil penalty for false information with respect to withholding. If you make a false statement with no reasonable basis that results in no backup withholding, you are subject to a \$500 penalty.

Criminal penalty for falsifying information. Willfully falsifying certifications or affirmations may subject you to criminal penalties including fines and/or imprisonment.

Misuse of TINs. If the requester discloses or uses TINs in violation of federal law, the requester may be subject to civil and criminal penalties.

Specific Instructions

Line 1

You must enter one of the following on this line; **do not** leave this line blank. The name should match the name on your tax return.

If this Form W-9 is for a joint account, list first, and then circle, the name of the person or entity whose number you entered in Part I of Form W-9.

a. **Individual.** Generally, enter the name shown on your tax return. If you have changed your last name without informing the Social Security Administration (SSA) of the name change, enter your first name, the last name as shown on your social security card, and your new last name.

Note. ITIN applicant: Enter your individual name as it was entered on your Form W-7 application, line 1a. This should also be the same as the name you entered on the Form 1040/1040A/1040EZ you filed with your application.

b. **Sole proprietor or single-member LLC.** Enter your individual name as shown on your 1040/1040A/1040EZ on line 1. You may enter your business, trade, or "doing business as" (DBA) name on line 2.

c. **Partnership, LLC that is not a single-member LLC, C Corporation, or S Corporation.** Enter the entity's name as shown on the entity's tax return on line 1 and any business, trade, or DBA name on line 2.

d. **Other entities.** Enter your name as shown on required U.S. federal tax documents on line 1. This name should match the name shown on the charter or other legal document creating the entity. You may enter any business, trade, or DBA name on line 2.

e. **Disregarded entity.** For U.S. federal tax purposes, an entity that is disregarded as an entity separate from its owner is treated as a "disregarded entity." See Regulations section 301.7701-2(c)(2)(iii). Enter the owner's name on line 1. The name of the entity entered on line 1 should never be a disregarded entity. The name on line 1 should be the name shown on the income tax return on which the income should be reported. For example, if a foreign LLC that is treated as a disregarded entity for U.S. federal tax purposes has a single owner that is a U.S. person, the U.S. owner's name is required to be provided on line 1. If the direct owner of the entity is also a disregarded entity, enter the first owner that is not disregarded for federal tax purposes. Enter the disregarded entity's name on line 2, "Business name/disregarded entity name." If the owner of the disregarded entity is a foreign person, the owner must complete an appropriate Form W-8 instead of a Form W-9. This is the case even if the foreign person has a U.S. TIN.

Line 2

If you have a business name, trade name, DBA name, or disregarded entity name, you may enter it on line 2.

Line 3

Check the appropriate box in line 3 for the U.S. federal tax classification of the person whose name is entered on line 1. Check only one box in line 3.

Limited Liability Company (LLC). If the name on line 1 is an LLC treated as a partnership for U.S. federal tax purposes, check the "Limited Liability Company" box and enter "P" in the space provided. If the LLC has filed Form 8832 or 2553 to be taxed as a corporation, check the "Limited Liability Company" box and in the space provided enter "C" for C corporation or "S" for S corporation. If it is a single-member LLC that is a disregarded entity, do not check the "Limited Liability Company" box; instead check the first box in line 3 "Individual/sole proprietor or single-member LLC."

Line 4, Exemptions

If you are exempt from backup withholding and/or FATCA reporting, enter in the appropriate space in line 4 any code(s) that may apply to you.

Exempt payee code.

- Generally, individuals (including sole proprietors) are not exempt from backup withholding.
- Except as provided below, corporations are exempt from backup withholding for certain payments, including interest and dividends.
- Corporations are not exempt from backup withholding for payments made in settlement of payment card or third party network transactions.
- Corporations are not exempt from backup withholding with respect to attorneys' fees or gross proceeds paid to attorneys, and corporations that provide medical or health care services are not exempt with respect to payments reportable on Form 1099-MISC.

The following codes identify payees that are exempt from backup withholding. Enter the appropriate code in the space in line 4.

- 1—An organization exempt from tax under section 501(a), any IRA, or a custodial account under section 403(b)(7) if the account satisfies the requirements of section 401(f)(2)
- 2—The United States or any of its agencies or instrumentalities
- 3—A state, the District of Columbia, a U.S. commonwealth or possession, or any of their political subdivisions or instrumentalities
- 4—A foreign government or any of its political subdivisions, agencies, or instrumentalities
- 5—A corporation
- 6—A dealer in securities or commodities required to register in the United States, the District of Columbia, or a U.S. commonwealth or possession
- 7—A futures commission merchant registered with the Commodity Futures Trading Commission
- 8—A real estate investment trust
- 9—An entity registered at all times during the tax year under the Investment Company Act of 1940
- 10—A common trust fund operated by a bank under section 584(a)
- 11—A financial institution
- 12—A middleman known in the investment community as a nominee or custodian
- 13—A trust exempt from tax under section 664 or described in section 4947

The following chart shows types of payments that may be exempt from backup withholding. The chart applies to the exempt payees listed above, 1 through 13.

IF the payment is for . . .	THEN the payment is exempt for . . .
Interest and dividend payments	All exempt payees except for 7
Broker transactions	Exempt payees 1 through 4 and 6 through 11 and all C corporations. S corporations must not enter an exempt payee code because they are exempt only for sales of noncovered securities acquired prior to 2012.
Barter exchange transactions and patronage dividends	Exempt payees 1 through 4
Payments over \$600 required to be reported and direct sales over \$5,000 ¹	Generally, exempt payees 1 through 5 ²
Payments made in settlement of payment card or third party network transactions	Exempt payees 1 through 4

¹ See Form 1099-MISC, Miscellaneous Income, and its instructions.

² However, the following payments made to a corporation and reportable on Form 1099-MISC are not exempt from backup withholding: medical and health care payments, attorneys' fees, gross proceeds paid to an attorney reportable under section 6045(f), and payments for services paid by a federal executive agency.

Exemption from FATCA reporting code. The following codes identify payees that are exempt from reporting under FATCA. These codes apply to persons submitting this form for accounts maintained outside of the United States by certain foreign financial institutions. Therefore, if you are only submitting this form for an account you hold in the United States, you may leave this field blank. Consult with the person requesting this form if you are uncertain if the financial institution is subject to these requirements. A requester may indicate that a code is not required by providing you with a Form W-9 with "Not Applicable" (or any similar indication) written or printed on the line for a FATCA exemption code.

- A—An organization exempt from tax under section 501(a) or any individual retirement plan as defined in section 7701(a)(37)
- B—The United States or any of its agencies or instrumentalities
 - C—A state, the District of Columbia, a U.S. commonwealth or possession, or any of their political subdivisions or instrumentalities
 - D—A corporation the stock of which is regularly traded on one or more established securities markets, as described in Regulations section 1.1472-1(c)(1)(i)
 - E—A corporation that is a member of the same expanded affiliated group as a corporation described in Regulations section 1.1472-1(c)(1)(i)
 - F—A dealer in securities, commodities, or derivative financial instruments (including notional principal contracts, futures, forwards, and options) that is registered as such under the laws of the United States or any state
 - G—A real estate investment trust
 - H—A regulated investment company as defined in section 851 or an entity registered at all times during the tax year under the Investment Company Act of 1940
 - I—A common trust fund as defined in section 584(a)
 - J—A bank as defined in section 581
 - K—A broker
 - L—A trust exempt from tax under section 664 or described in section 4947(a)(1)
 - M—A tax exempt trust under a section 403(b) plan or section 457(g) plan

Note. You may wish to consult with the financial institution requesting this form to determine whether the FATCA code and/or exempt payee code should be completed.

Line 5

Enter your address (number, street, and apartment or suite number). This is where the requester of this Form W-9 will mail your information returns.

Line 6

Enter your city, state, and ZIP code.

Part I. Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. If you are a resident alien and you do not have and are not eligible to get an SSN, your TIN is your IRS individual taxpayer identification number (ITIN). Enter it in the social security number box. If you do not have an ITIN, see *How to get a TIN* below.

If you are a sole proprietor and you have an EIN, you may enter either your SSN or EIN. However, the IRS prefers that you use your SSN.

If you are a single-member LLC that is disregarded as an entity separate from its owner (see *Limited Liability Company (LLC)* on this page), enter the owner's SSN (or EIN, if the owner has one). Do not enter the disregarded entity's EIN. If the LLC is classified as a corporation or partnership, enter the entity's EIN.

Note. See the chart on page 4 for further clarification of name and TIN combinations.

How to get a TIN. If you do not have a TIN, apply for one immediately. To apply for an SSN, get Form SS-5, Application for a Social Security Card, from your local SSA office or get this form online at www.ssa.gov. You may also get this form by calling 1-800-772-1213. Use Form W-7, Application for IRS Individual Taxpayer Identification Number, to apply for an ITIN, or Form SS-4, Application for Employer Identification Number, to apply for an EIN. You can apply for an EIN online by accessing the IRS website at www.irs.gov/businesses and clicking on Employer Identification Number (EIN) under Starting a Business. You can get Forms W-7 and SS-4 from the IRS by visiting IRS.gov or by calling 1-800-TAX-FORM (1-800-829-3676).

If you are asked to complete Form W-9 but do not have a TIN, apply for a TIN and write "Applied For" in the space for the TIN, sign and date the form, and give it to the requester. For interest and dividend payments, and certain payments made with respect to readily tradable instruments, generally you will have 60 days to get a TIN and give it to the requester before you are subject to backup withholding on payments. The 60-day rule does not apply to other types of payments. You will be subject to backup withholding on all such payments until you provide your TIN to the requester.

Note. Entering "Applied For" means that you have already applied for a TIN or that you intend to apply for one soon.

Caution: A disregarded U.S. entity that has a foreign owner must use the appropriate Form W-8.

Part II. Certification

To establish to the withholding agent that you are a U.S. person, or resident alien, sign Form W-9. You may be requested to sign by the withholding agent even if items 1, 4, or 5 below indicate otherwise.

For a joint account, only the person whose TIN is shown in Part I should sign (when required). In the case of a disregarded entity, the person identified on line 1 must sign. Exempt payees, see *Exempt payee code* earlier.

Signature requirements. Complete the certification as indicated in items 1 through 5 below.

1. Interest, dividend, and barter exchange accounts opened before 1984 and broker accounts considered active during 1983. You must give your correct TIN, but you do not have to sign the certification.

2. Interest, dividend, broker, and barter exchange accounts opened after 1983 and broker accounts considered inactive during 1983. You must sign the certification or backup withholding will apply. If you are subject to backup withholding and you are merely providing your correct TIN to the requester, you must cross out item 2 in the certification before signing the form.

3. Real estate transactions. You must sign the certification. You may cross out item 2 of the certification.

4. Other payments. You must give your correct TIN, but you do not have to sign the certification unless you have been notified that you have previously given an incorrect TIN. "Other payments" include payments made in the course of the requester's trade or business for rents, royalties, goods (other than bills for merchandise), medical and health care services (including payments to corporations), payments to a nonemployee for services, payments made in settlement of payment card and third party network transactions, payments to certain fishing boat crew members and fishermen, and gross proceeds paid to attorneys (including payments to corporations).

5. Mortgage interest paid by you, acquisition or abandonment of secured property, cancellation of debt, qualified tuition program payments (under section 529), IRA, Coverdell ESA, Archer MSA or HSA contributions or distributions, and pension distributions. You must give your correct TIN, but you do not have to sign the certification.

What Name and Number To Give the Requester

For this type of account:	Give name and SSN of:
1. Individual	The individual
2. Two or more individuals (joint account)	The actual owner of the account or, if combined funds, the first individual on the account ¹
3. Custodian account of a minor (Uniform Gift to Minors Act)	The minor ²
4. a. The usual revocable savings trust (grantor is also trustee) b. So-called trust account that is not a legal or valid trust under state law	The grantor-trustee ¹ The actual owner ¹
5. Sole proprietorship or disregarded entity owned by an individual	The owner ²
6. Grantor trust filing under Optional Form 1099 Filing Method 1 (see Regulations section 1.671-4(b)(2)(i)(A))	The grantor ²
For this type of account:	Give name and EIN of:
7. Disregarded entity not owned by an individual	The owner
8. A valid trust, estate, or pension trust	Legal entity ⁴
9. Corporation or LLC electing corporate status on Form 8832 or Form 2553	The corporation
10. Association, club, religious, charitable, educational, or other tax-exempt organization	The organization
11. Partnership or multi-member LLC	The partnership
12. A broker or registered nominee	The broker or nominee
13. Account with the Department of Agriculture in the name of a public entity (such as a state or local government, school district, or prison) that receives agricultural program payments	The public entity
14. Grantor trust filing under the Form 1041 Filing Method or the Optional Form 1099 Filing Method 2 (see Regulations section 1.671-4(b)(2)(i)(B))	The trust

¹ List first and circle the name of the person whose number you furnish. If only one person on a joint account has an SSN, that person's number must be furnished.

² Circle the minor's name and furnish the minor's SSN.

³ You must show your individual name and you may also enter your business or DBA name on the "Business name/disregarded entity" name line. You may use either your SSN or EIN (if you have one), but the IRS encourages you to use your SSN.

⁴ List first and circle the name of the trust, estate, or pension trust. (Do not furnish the TIN of the personal representative or trustee unless the legal entity itself is not designated in the account title.) Also see *Special rules for partnerships* on page 2.

***Note.** Grantor also must provide a Form W-9 to trustee of trust.

Note. If no name is circled when more than one name is listed, the number will be considered to be that of the first name listed.

Secure Your Tax Records from Identity Theft

Identity theft occurs when someone uses your personal information such as your name, SSN, or other identifying information, without your permission, to commit fraud or other crimes. An identity thief may use your SSN to get a job or may file a tax return using your SSN to receive a refund.

To reduce your risk:

- Protect your SSN,
- Ensure your employer is protecting your SSN, and
- Be careful when choosing a tax preparer.

If your tax records are affected by identity theft and you receive a notice from the IRS, respond right away to the name and phone number printed on the IRS notice or letter.

If your tax records are not currently affected by identity theft but you think you are at risk due to a lost or stolen purse or wallet, questionable credit card activity or credit report, contact the IRS Identity Theft Hotline at 1-800-908-4490 or submit Form 14039.

For more information, see Publication 4535, Identity Theft Prevention and Victim Assistance.

Victims of identity theft who are experiencing economic harm or a system problem, or are seeking help in resolving tax problems that have not been resolved through normal channels, may be eligible for Taxpayer Advocate Service (TAS) assistance. You can reach TAS by calling the TAS toll-free case intake line at 1-877-777-4778 or TTY/TDD 1-800-829-4059.

Protect yourself from suspicious emails or phishing schemes. Phishing is the creation and use of email and websites designed to mimic legitimate business emails and websites. The most common act is sending an email to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft.

The IRS does not initiate contacts with taxpayers via emails. Also, the IRS does not request personal detailed information through email or ask taxpayers for the PIN numbers, passwords, or similar secret access information for their credit card, bank, or other financial accounts.

If you receive an unsolicited email claiming to be from the IRS, forward this message to phishing@irs.gov. You may also report misuse of the IRS name, logo, or other IRS property to the Treasury Inspector General for Tax Administration (TIGTA) at 1-800-366-4484. You can forward suspicious emails to the Federal Trade Commission at: spam@uce.gov or contact them at www.ftc.gov/idtheft or 1-877-IDTHEFT (1-877-438-4338).

Visit IRS.gov to learn more about identity theft and how to reduce your risk.

Privacy Act Notice

Section 6109 of the Internal Revenue Code requires you to provide your correct TIN to persons (including federal agencies) who are required to file information returns with the IRS to report interest, dividends, or certain other income paid to you; mortgage interest you paid; the acquisition or abandonment of secured property; the cancellation of debt; or contributions you made to an IRA, Archer MSA, or HSA. The person collecting this form uses the information on the form to file information returns with the IRS, reporting the above information. Routine uses of this information include giving it to the Department of Justice for civil and criminal litigation and to cities, states, the District of Columbia, and U.S. commonwealths and possessions for use in administering their laws. The information also may be disclosed to other countries under a treaty, to federal and state agencies to enforce civil and criminal laws, or to federal law enforcement and intelligence agencies to combat terrorism. You must provide your TIN whether or not you are required to file a tax return. Under section 3406, payers must generally withhold a percentage of taxable interest, dividend, and certain other payments to a payee who does not give a TIN to the payer. Certain penalties may also apply for providing false or fraudulent information.



CAMPLIN
Environmental Services, Inc.

ASBESTOS STUDY

AT

**Former Spa/Apartments
1417 11th Street
Rockford, IL**

FOR

**City of Rockford
Neighborhood Standards Division
425 East State Street
Rockford, IL 61104**

CONDUCTED BY:

**CAMPLIN ENVIRONMENTAL SERVICES, INC.
9575 WEST HIGGINS ROAD, SUITE 450
ROSEMONT, ILLINOIS 60018**

July 20, 2015

CESI PROJECT NO. 15-056

Camplin Environmental Services, Inc. 9575 West Higgins Road, Suite 450 Rosemont, Illinois 60018
Office Phone Number (847) 292-1190 Office Fax Number (847) 823-1029

TABLE OF CONTENTS

Section 1

Inspector's License
Introduction
Survey Findings
Bulk Sampling Protocol
Analytical Protocol

Section 2

Summary of Suspected ACBMs
Laboratory Results

Section 1

Inspector's License



**ASBESTOS
PROFESSIONAL
LICENSE**

ID NUMBER **ISSUED** **EXPIRES**
100 - 06610 **4/22/2014** **05/15/2015**

MORGAN CAMPLIN
20061 MONTEREY AVENUE
LYNWOOD, IL 60411



Environmental Health

ENDORSEMENTS

TC EXPIRES

INSPECTOR

12/4/2014

PROJECT MANAGER
AIR SAMPLING PROFESSIONAL

12/14/2014

Alteration of this license shall result in legal action
This license issued under authority of the State of Illinois
Department of Public Health
This license is valid only when accompanied by a valid
training course certificate.

This is to Certify that
Morgan Camplin
Has Satisfactorily Completed Training in Accordance
with Applicable Rules and Regulations
Asbestos Abatement Supervisor
Refresher

Completed: 12/14/2013 Expires: 12/14/2014
Certificate: ASR1312142932

Occupational Training & Supply, Inc.



This is to Certify that
Morgan Camplin
Has Satisfactorily Completed Training in
Accordance with Applicable Rules and Regulations
Asbestos Building Inspector Refresher

Completed: 12/4/2013 Expires: 12/4/2014
Certificate: BR1312042763

2013 Occupational Training & Supply, Inc.

INTRODUCTION

On July 9, 2015, Morgan Camplin of Camplin Environmental Services, Inc. (CESI) performed an asbestos survey of a former spa/apartment building located at 1417 11th street in Rockford, IL. A visual walk-through was conducted of the site to identify suspected asbestos-containing building materials (ACBM). Suspected ACBMs were then sampled to confirm the presence of asbestos.

SURVEY FINDINGS

A total of 36 bulk samples were taken from 28 suspected ACBMs. The material that tested positive for asbestos included: Pipe insulation, asbestos paper (3 types) and components in electrical power panel.

BULK SAMPLING PROTOCOL

Specific ACBM bulk sampling strategy was as follows:

1. Facility Walk-Through for ACBM identification:
 - A) The inspector performed a preliminary walk-through of the facility defining selected homogeneous ACBM.
 - B) Homogeneous ACBM was defined as follows:
 - 1) Thermal systems insulating materials including, but not limited to, pipes, boilers, breechings, tanks, ducts, or other interior structural components to prevent heat loss or gain, or water condensation, or for other purposes.
 - 2) Surfacing materials including, but not limited to, sprayed-on, troweled-on, or otherwise applied to surfaces such as acoustical plaster on ceilings, fireproofing materials on structural membranes or other surfacing materials used for acoustical, fireproofing, or other purposes.
 - 3) Miscellaneous materials including, but not limited to, interior building material or structural components such as floor and ceiling tiles, cement pipe, and fire doors.
 - C) The sampling strategy was designed to identify only those ACBM materials that are defined under the NESHAPS and the IDPH legislation. Other materials which could be ACM but were not identified during the survey include, but are not limited to, stored ACM, chalkboards, Bunsen burner pads, masonry products, mortars, lab

desks, fireproof curtains, brake linings, dry-wall seams, concrete, kilns, bulletin boards and fire blankets.

- D) The walk-through included visually inspecting areas which were accessible at the time of the survey.

2. Sampling Friable and Non-Friable Materials:

- A) Random sampling was used for each homogeneous ACBM where applicable. Destructive sampling was not required in most situations; therefore, bulk samples of homogeneous ACBM were taken from currently damaged sites when feasible.
- B) The appropriate number of samples taken for each homogeneous ACBM were based upon criteria listed in C through G of this section.
- C) For damaged pipe and boiler insulation, at least one sample was collected for each homogeneous material found.
- D) For friable sprayed or troweled-on surfacing materials, a minimum of one sample for each homogeneous sampling area was collected.
- E) For each homogeneous area of patched thermal system insulation less than 6 linear or square feet that was not assumed to be ACM, at least one sample was collected.
- F) For wall and ceiling tiles, at least one sample of each distinct homogeneous material was collected.
- G) For miscellaneous materials, samples were collected in a manner sufficient to determine whether the material is ACM or not.

3. Sampling Precautions Followed by Accredited Inspectors:

- A) Sample friable materials only with necessary personnel present. Do not disturb the materials any more than necessary.
- B) Wear a NIOSH approved respirator equipped with high-efficiency filters when sampling friable materials or when moving ceiling tiles to access friable materials.
- C) Seal sampled materials with an encapsulant.
- D) Clean up any visible materials by wet mopping or by wiping with a damp cloth.

- E) When carpet is present, place a plastic drop cloth under the sample point to facilitate easy cleanup.
 - F) Dispose of contaminated materials (e.g., wiping cloths, mop heads in sealed, labeled 6 ml plastic bags).
4. Sampling Procedures Followed by Accredited Inspectors:
- A) Spray the materials with a light mist of water to reduce fiber release during sampling.
 - B) Gently cut and remove a small core of the material penetrating all layers including any paint or protective coating. Wet wipe any reusable instrument before reuse.
 - C) Place the sample in a Whirl-pak plastic bag. Seal the bag and wipe the exterior with a damp cloth to remove any materials.
 - D) Label each bag with a sample identification number.
 - E) Seal the samples in a second bag.
 - F) Record each sample collected including the date, sampling location and identification number. Complete the site sheet and submit samples to a US-EPA approved laboratory until the National Bureau of Standards (NBS) develops an accreditation program. Thereafter, all bulk samples shall be analyzed by a NBS accredited laboratory.

ANALYTICAL PROTOCOL

1. Bulk samples taken during the facility survey were analyzed by IATL, a US EPA accredited laboratory.
 - A) Bulk samples were analyzed using a polarized light microscope with central stop dispersion staining.
 - B) Microscopists who analyzed the samples successfully completed the McCrone Institute's five-day "Bulk Identification of Asbestos" curriculum or equivalent.
 - C) Bulk samples were analyzed for asbestos content using the "Interim Method for Determination of Asbestos in Bulk Insulation Samples" found in Appendix A to subpart F in 40 CFR Part 763 of the AHERA.
2. Bulk analysis results are found in Section 2.

Section 2

Summary of Materials Positive for Asbestos

CLIENT: City Of Rockford

JOB #: 15-056

DATE: July 9, 2015

BUILDING: Store & Apartments
1417 11th Street
Rockford II

INSPECTOR: Morgan Camplin
IDPH #100-06610

Page 1 of 2

ACM Positive

HOMO #	MATERIAL DESCRIPTION	QUANTITY	FLOOR	LOCATION(S)	SAMPLE #S	ACM
P-1	Tan Insulation Duct Work	N/A	B	Boiler Ceiling	P-1	Yes
P-2	Air Cell Pipe	~500 Linear Feet	B	Small/Big Basement Throughout & Stores	P-2	Yes
T-1	Black Transite Breakers Panel Box	~1	1	Garage	T-1	Yes
C-6	Grey Insulation Boiler Ceiling	~20	B	Small Boiler	C-6	Yes
W-4	Grey Insulation Wall (Above the Ceiling Tile)	~4	1	Store Room	W-4	Yes

15-056 Asbestos Study Stores & Apartments 1417 11th Street Rockford, Illinois For City Of Rockford July 9, 2015

CAMPLIN ENVIRONMENTAL SERVICES, INC. 9575 West Higgins Road, Suite 450, Rosemont, IL 60018

HOMOGENEOUS AREA:
W-4

MATERIAL DESCRIPTION:
Grey Insulation Wall

MATERIAL TYPE:
Thermal Systems Insulation


QUANTITY:
~4

ASBESTOS %:
80% Chrysotile


SAMPLE #'S
W-4

LOCATION
Office room


COMMENTS:



Basement Floor Plan



First Floor Plan



Second Floor Plan

Not To Scale
NORTH

REV	BY	DATE	DESCRIPTION

SURVEY RESULTS

FILE NAME : 15-056
PROJECT NO : 15-056
DRAWG : CES
DATE : July '15

PROJECT:
Asbestos Study
Stores & Apartments
1417 11th Street
Rockford, IL 61104

CLIENT:
City Of Rockford
425 E. State Street
Rockford, IL 61104

CAMPLIN
Environmental Services, inc
5575 West Higgins Road, Suite 450
Rosemont, Illinois 60018 (637) 252-1180



HOMOGENEOUS AREA:
C-6

MATERIAL DESCRIPTION:
Grey Insulation Boiler Ceiling

MATERIAL TYPE:
Thermal Systems Insulation

QUANTITY:
~1

ASBESTOS %:
60% Chrysotile

SAMPLE #'S
C-6


LOCATION
Boiler room

COMMENTS:


REV	BY	DATE	DESCRIPTION

FILE NAME : 15-056
PROJECT NO : 15-056
DRAWG : CESI
DATE : July '15


SURVEY RESULTS



Basement Floor Plan



First Floor Plan



Second Floor Plan

Not To Scale

NORTH

Asbestos Study
Stores & Apartments
1417 11th Street
Rockford, IL 61104

PROJECT:

City Of Rockford
425 E. State Street
Rockford, IL 61104

CLIENT:

CAMPLIN
Environmental Services, Inc
5575 West Higgins Road, Suite 450
Rosemont, Illinois 60018 (847) 252-1190



HOMOGENEOUS AREA:

T-1

MATERIAL DESCRIPTION:

Black Transit Breakers Panel Box

MATERIAL TYPE:

Thermal Systems Insulation

QUANTITY:

~1

ASBESTOS %:

30% Chrysotile

SAMPLE #'S

T-1

LOCATION


Garage

COMMENTS:


REV	BY	DATE	DESCRIPTION

FILE NAME	: IS-056
PROJECT NO	: 15-056
DRAWG	: CESI
DATE	: July '15


SURVEY RESULTS



Basement Floor Plan



First Floor Plan



Second Floor Plan



Not To Scale

CAMPLIN
Environmental Services, inc
 5575 West Higgins Road, Suite 450
 Rosemont, Illinois 60018 (647) 262-1160

CLIENT:
City Of Rockford
 425 E. State Street
 Rockford, IL 61104

PROJECT:
Asbestos Study
 Stores & Apartments
 1417 11th Street
 Rockford, IL 61104



HOMOGENEOUS AREA:
P-2

MATERIAL DESCRIPTION:
Air Cell Pipe Insulation

MATERIAL TYPE:
Thermal Systems Insulation

QUANTITY:
~500 Linear Feet

ASBESTOS %:
35% Chrysotile

SAMPLE #'S
P-2


LOCATION
Boiler Room

COMMENTS:


REV	BY	DATE	DESCRIPTION

FILE NAME : 15-066
PROJECT NO : 15-066
DRAWN : CESI
DATE : July '15


SURVEY RESULTS



Basement Floor Plan



First Floor Plan



Second Floor Plan

Not To Scale
NORTH

PROJECT:
Asbestos Study
Stores & Apartments
1417 11th Street
Rockford, IL 61104

CLIENT:
City Of Rockford
425 E. State Street
Rockford, IL 61104

CAMPLIN
Environmental Services, Inc
8575 West Higgins Road, Suite 450
Rosemont, Illinois 60018 (847) 282-1190



HOMOGENEOUS AREA:
P-1

MATERIAL DESCRIPTION:
Tan Insulation Duct Work

MATERIAL TYPE:
Thermal Systems Insulation


QUANTITY:
N/A

ASBESTOS %:
35% Chrysotile


SAMPLE #'S
P-1

LOCATION
Big Basement


COMMENTS:




Basement Floor Plan



First Floor Plan



Second Floor Plan



Not To Scale

REV	BY	DATE	DESCRIPTION

CAMPLIN
Environmental Services, inc
5575 West Higgins Road, Suite 450
Rosemont, Illinois 60018 (847) 292-1160

CLIENT:
City of Rockford
425 E. State Street
Rockford, IL 61104

PROJECT:
Asbestos Study
Stores & Apartments
1417 11th Street
Rockford, IL 61104

FILE NAME : 15-056
PROJECT NO : 15-056
DRAWING : CESI
DATE : July '15

SURVEY RESULTS



Summary of All Materials Tested

CLIENT: City of Rockford – Neighborhood Standards Division JOB #: 15-056 DATE: July 20, 2015
 BUILDING: Former Spa/Apartments 1417 11th Street, Rockford, IL INSPECTOR: Morgan Camplin (100-06610)

Sample #	MATERIAL DESCRIPTION	LOCATION(S)	ACM?
R-1	Top Layer of Roofing	Spa Building, Garage, and Small Building	NO
R-2	Flashing on Roof	Spa Building, Garage, and Small Building	NO
R-3	Original Roof (below top)	Spa Building	NO
P-1	Paper Insulation	Duct Work Insulation in Spa Basement	YES
P-2	Pipe Insulation	Piping in basement and 1 st floor	YES
T-1	Transite Material	Inside Power Panel on North end of Spa – 1 st floor	YES
F-1	Flooring Material	2 nd floor Spa Kitchen	NO
F-2	Sheet Flooring	2 nd floor South/Center Rooms	NO
F-3	Flooring Material	West Side of Spa – 1 st floor	NO
F-4	Flooring Material	East Side of Spa – 1 st floor	NO
F-5	Brown Flooring Material	North East Side of Spa – 1 st floor	NO
F-6	Terazzo/Poured Flooring	Spa Building and Former Rug Store Flooring	NO
F-8	Tan Sheet Flooring	Small Apartment Building Kitchen	NO
F-9	2" Square Pattern Flooring	Spa Building Bathroom on 2 nd Floor West Side	NO
C-1	Textured Ceiling	Spa Building 2 nd Floor – Southwest Corner Room	NO
C-2	Ceiling Tiles	Spa Building 2 nd Floor – Center area	NO
C-3	Ceiling Tiles/Glue	Spa Building 2 nd Floor – Northeast Corner	NO
C-4	Attic Insulation	Spa Building Attic in Center of 2 nd floor	NO
C-5	Ceiling Tile	Former Rug Store – West Side of Spa on 1 st floor	NO
C-6	Paper on Boiler Room Ceiling	Small Apartment North of the Garage in Basement	YES
C-7	Plaster Textured Ceiling	Small Apartment North of the Garage on 2 nd floor	NO
W-1	Plaster Walls	Spa Building 2 nd floor	NO
W-2	Window Glaze	Spa Building	NO

CLIENT: City of Rockford – Neighborhood Standards Division JOB #: 15-056 DATE: July 20, 2015
 BUILDING: Former Spa/Apartments 1417 11th Street, Rockford, IL INSPECTOR: Morgan Camplin (100-06610)

Sample #	MATERIAL DESCRIPTION	LOCATION(S)	ACM
W-3	Drywall	Former Rug Store West of Spa	NO
W-4	Pipe Chase Wall Insulation	East Side of Spa on 1 st Floor	YES
W-5	Plaster Wall	Spa Building on 1 st Floor	NO
W-6	Drywall	Spa Building 1 st Floor Corridor	NO
W-7	Plaster Wall	Small Apartment North of Garage	NO
W-8	Window Glazing	Small Apartment North of Garage	NO

Laboratory Results

CERTIFICATE OF ANALYSIS

Client: Camplin Environmental
9575 W Higgins Rd, Ste 450
Rosemont II 60018

Report Date: 7/14/2015
Report No.: 368099
Project:
Project No.: 15-056

BULK SAMPLE ANALYSIS SUMMARY

Lab No.: 5677237 **Description / Location:** Black Shingle
Client No.: R-1 1st Layer Roof

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	10	Cellulose	90

Lab No.: 5677238 **Description / Location:** Black Tar
Client No.: R-2 Flashing

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	3	Cellulose	97

Lab No.: 5677239 **Description / Location:** Black Tar
Client No.: R-3 2nd Layer Spa Roof

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Lab No.: 5677240 **Description / Location:** Tan Insulation
Client No.: P-1 Duct Work

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
35	Chrysotile	45	Cellulose	20


Accreditations: NIST-NVLAP No. 101165-0 NY-DOH No. 11021 AIHA-LAP, LLC No. 100188

*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Approved By: 

Date: 7/14/2015

Frank E. Ehrenfeld, III
Laboratory Director

CERTIFICATE OF ANALYSIS

Client:	Camplin Environmental 9575 W Higgins Rd, Ste 450 Rosemont IL 60018	Report Date:	7/14/2015
		Report No.:	368099
		Project:	
		Project No.:	15-056

BULK SAMPLE ANALYSIS SUMMARY

Lab No.:	5677241	Description / Location:	Tan Insulation Aircell Pipe Boiler Room	
Client No.:	P-2			
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
35	Chrysotile	40	Cellulose	25

Lab No.:	5677242	Description / Location:	Black Transite Power Panel Box	
Client No.:	T-1			
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
30	Chrysotile	None Detected	None Detected	70

Lab No.:	5677243	Description / Location:	Off-White Ceiling Texture	
Client No.:	C-1			
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	20	Cellulose	80

Lab No.:	5677243	Description / Location:	Off-White Non Fibrous	Layer No.:	2
Client No.:	C-1				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>	
None Detected	None Detected	None Detected	None Detected	100	

Accreditations: **NIST-NVLAP No. 101165-0** **NY-DOH No. 11021** **AIHA-LAP, LLC No. 100188**
*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Date: 7/14/2015

CERTIFICATE OF ANALYSIS

Client: Camplin Environmental
9575 W Higgins Rd, Ste 450
Rosemont IL 60018

Report Date: 7/14/2015
Report No.: 368099
Project:
Project No.: 15-056

BULK SAMPLE ANALYSIS SUMMARY

Lab No.: 5677244 **Description / Location:** Tan/White Ceiling Tile; 12"

Client No.: C-2

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	97	Cellulose	3

Lab No.: 5677245 **Description / Location:** Tan/Brown Ceiling Tile; 12"

Client No.: C-3

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	95	Cellulose	5

Lab No.: 5677246 **Description / Location:** Off-White Insulation; Blown-In

Client No.: C-4

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	98	Fibrous Glass	2

Lab No.: 5677247 **Description / Location:** Tan Ceiling Tile; 2x4

Client No.: C-5

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	35	Cellulose	45
		20	Fibrous Glass	

Accreditations: NIST-NVLAP No. 101165-0 NY-DOH No. 11021 AIHA-LAP, LLC No. 100188

*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Date: 7/14/2015

CERTIFICATE OF ANALYSIS

Client: Camplin Environmental
9575 W Higgins Rd, Ste 450
Rosemont IL 60018

Report Date: 7/14/2015
Report No.: 368099
Project:
Project No.: 15-056

BULK SAMPLE ANALYSIS SUMMARY

Lab No.: 5677248 **Description / Location:** Grey Insulation
Client No.: C-6 Boiler Ceiling, Small Apt

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
60	Chrysotile	15	Cellulose	25

Lab No.: 5677249 **Description / Location:** Tan Plaster
Client No.: C-7 Trowel On Ceiling, Small Apt

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	Trace	Cellulose	100

Lab No.: 5677249 **Description / Location:** White Plaster **Layer No.:** 2
Client No.: C-7 Trowel On Ceiling, Small Apt

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Lab No.: 5677249 **Description / Location:** White Texture **Layer No.:** 3
Client No.: C-7 Trowel On Ceiling, Small Apt

<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Accreditations: NIST-NVLAP No. 101165-0 NY-DOH No. 11021 AIHA-LAP, LLC No. 100188

*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Date: 7/14/2015

CERTIFICATE OF ANALYSIS

Client: Camplin Environmental 9575 W Higgins Rd, Ste 450 Rosemont IL 60018	Report Date: 7/14/2015 Report No.: 368099 Project: Project No.: 15-056
---	---

BULK SAMPLE ANALYSIS SUMMARY

Lab No.: 5677250	Description / Location: Tan/Grey Floor Tile; 12"			
Client No.: F-1				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Lab No.: 5677251	Description / Location: Off-White Floor Tile			
Client No.: F-2				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Lab No.: 5677252	Description / Location: Grey/Dk. Grey Floor Tile			
Client No.: F-3				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Lab No.: 5677253	Description / Location: Off-White Floor Tile			
Client No.: F-4				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Accreditations: **NIST-NVLAP No. 101165-0** **NY-DOH No. 11021** **AIHA-LAP, LLC No. 100188**
*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
 This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Date: 7/14/2015



CERTIFICATE OF ANALYSIS

Client:	Camplin Environmental 9575 W Higgins Rd, Ste 450 Rosemont II 60018	Report Date:	7/14/2015
		Report No.:	368099
		Project:	
		Project No.:	15-056

BULK SAMPLE ANALYSIS SUMMARY

Lab No.: 5677254	Description / Location: Lt. Tan Vinyl Sheet Flooring			
Client No.: F-5				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	13	Cellulose	85
		2	Fibrous Glass	

Lab No.: 5677255	Description / Location: Lt. Tan Cementitious			
Client No.: F-6				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Lab No.: 5677256	Description / Location: Off-White Vinyl Sheet Flooring Small Apt			
Client No.: F-8				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Accreditations: **NIST-NVLAP No. 101165-0** **NY-DOH No. 11021** **AIHA-LAP, LLC No. 100188**
*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Date: 7/14/2015



CERTIFICATE OF ANALYSIS

Client:	Camplin Environmental 9575 W Higgins Rd, Ste 450 Rosemont IL 60018	Report Date:	7/14/2015
		Report No.:	368099
		Project:	
		Project No.:	15-056

BULK SAMPLE ANALYSIS SUMMARY

Lab No.: 5677257	Description / Location: Lt. Tan Floor Tile		
Client No.: F-9	Big Apt		
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>
None Detected	None Detected	None Detected	None Detected
			<u>% Non-Fibrous Material</u>
			100

Lab No.: 5677257	Description / Location: Lt. Grey Floor Tile		Layer No.: 2
Client No.: F-9	Big Apt		
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>
None Detected	None Detected	None Detected	None Detected
			<u>% Non-Fibrous Material</u>
			100

Lab No.: 5677258	Description / Location: White Plaster		
Client No.: W-1	Wall		
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>
None Detected	None Detected	None Detected	None Detected
			<u>% Non-Fibrous Material</u>
			100

Lab No.: 5677259	Description / Location: Off-White Glazing		
Client No.: W-2	Window		
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>
None Detected	None Detected	None Detected	None Detected
			<u>% Non-Fibrous Material</u>
			100

Accreditations: **NIST-NVLAP No. 101165-0** **NY-DOH No. 11021** **AIHA-LAP, LLC No. 100188**

*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Date: 7/14/2015



CERTIFICATE OF ANALYSIS

Client:	Camplin Environmental 9575 W Higgins Rd, Ste 450 Rosemont IL 60018	Report Date:	7/14/2015
		Report No.:	368099
		Project:	
		Project No.:	15-056

BULK SAMPLE ANALYSIS SUMMARY

Lab No.: 5677260	Description / Location: Off-White Plaster Rug Store		
Client No.: W-3			
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>
None Detected	None Detected	None Detected	None Detected
			<u>% Non-Fibrous Material</u> 100

Lab No.: 5677260	Description / Location: White Plaster Rug Store		Layer No.: 2
Client No.: W-3			
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>
None Detected	None Detected	None Detected	None Detected
			<u>% Non-Fibrous Material</u> 100

Lab No.: 5677261	Description / Location: Grey Insulation Wall		
Client No.: W-4			
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>
80	Chrysotile	None Detected	None Detected
			<u>% Non-Fibrous Material</u> 20

Lab No.: 5677262	Description / Location: Off-White Plaster Wall		
Client No.: W-5			
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>
None Detected	None Detected	None Detected	None Detected
			<u>% Non-Fibrous Material</u> 100

Accreditations: **NIST-NVLAP No. 101165-0** **NY-DOH No. 11021** **AIHA-LAP, LLC No. 100188**

*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Date: 7/14/2015



CERTIFICATE OF ANALYSIS

Client: Camplin Environmental 9575 W Higgins Rd, Ste 450 Rosemont IL 60018	Report Date: 7/14/2015 Report No.: 368099 Project: Project No.: 15-056
---	---

BULK SAMPLE ANALYSIS SUMMARY

Lab No.: 5677263	Description / Location: Lt. Tan Sheetrock			
Client No.: W-6				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	10	Cellulose	90

Lab No.: 5677263	Description / Location: White Joint Compound			Layer No.: 2
Client No.: W-6				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Lab No.: 5677264	Description / Location: Off-White Plaster Wall			
Client No.: W-7				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	Trace	Cellulose	100

Lab No.: 5677264	Description / Location: White Non Fibrous Wall			Layer No.: 2
Client No.: W-7				
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>	<u>% Non-Fibrous Material</u>
None Detected	None Detected	None Detected	None Detected	100

Accreditations: **NIST-NVLAP No. 101165-0** **NY-DOH No. 11021** **AIHA-LAP, LLC No. 100188**
*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
 This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Date: 7/14/2015



**International Asbestos
Testing Laboratories**

9000 Commerce Parkway Suite B Mt. Laurel, NJ 08054
Telephone: 856-231-9449 Fax: 856-231-9818

CERTIFICATE OF ANALYSIS

Client:	Camplin Environmental 9575 W Higgins Rd, Ste 450 Rosemont II 60018	Report Date:	7/14/2015
		Report No.:	368099
		Project:	
		Project No.:	15-056

BULK SAMPLE ANALYSIS SUMMARY

Lab No.: 5677265	Description / Location: Off-White Glazing Window		
Client No.: W-8			
<u>% Asbestos</u>	<u>Type</u>	<u>% Non-Asbestos Fibrous Material</u>	<u>Type</u>
PC 0.25	Chrysotile	None Detected	None Detected
			<u>% Non-Fibrous Material</u> PC 99.75

Accreditations: **NIST-NVLAP No. 101165-0** **NY-DOH No. 11021** **AIHA-LAP, LLC No. 100188**
*This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government
This report shall not be reproduced except in full, without written approval of the laboratory.*

Analytical Method: US EPA 600/R-93/116 by Polarized Light Microscopy, (ELAP 198.1 where applicable)

Comments: Quantification at <0.25% by volume is possible with this method. (PC) Indicates Stratified Point Count Method performed. (PC-Trace) means that asbestos was detected but is not quantifiable under the Point Counting regimen. Analysis includes all distinct separable layers in accordance with EPA 600 Method. If not reported or otherwise noted, layer is either not present or the client has specifically requested that it not be analyzed (ex. analyze until positive instructions). Small asbestos fibers may be missed by PLM due to resolution limitations of the optical microscope. Therefore, PLM is not consistently reliable in detecting asbestos in non-friable organically bound (NOB) materials. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing.

Analysis Performed By: E. Smith

Date: 7/14/2015



Chain of Custody

9000 Commerce Parkway
Suite B
Mt. Laurel, NJ 08054
Toll Free: 877 428-4285
info@iatl.com
www.iatl.com

- Bulk Asbestos Sample Log -

Client: _____

Project Name: 15-056
Project No.: _____

Client Sample ID:	IATL Sample ID:	Sample Description / Location	Notes
R-1	5677237	1st Layer Roof	
R-2	5677238	Flashing	
R-3	5677239	2nd Layer (Spa roof)	
P-1	5677240	Paper insulation duct work	
P-2	5677241	Air Cell pipe (boiler room)	
T-1	5677242	Power Panel box transite	
C-1	5677243	texture ceiling	
C-2	5677244	12" ceiling tile	
C-3	5677245	12" ceiling tile / Gypsum	
C-4	5677246	blow in insulation	
C-5	5677247	2x4 ceiling tile	
C-6	5677248	paper boiler ceiling / small apt #	
C-7	5677249	Plaster trowel on ceiling / small apt	
F-1	5677250	12" wood floor tile	
F-2	5677251	White/Gray sheet good linoleum	
F-3	5677252	White linoleum with flower floor tile	
F-4	5677253	White with purple flower floor tile	
F-5	5677254	Brown floor tile, linoleum	
F-6	5677255	terrazzo flooring	
F-7	5677256	TAN linoleum / Small apt	
F-8	5677257	2" square floor tile linoleum / Big apt #	
W-1	5677258	Plaster wall	
W-2	5677259	Window Glaze	
W-3	5677260	Drywall / rug store	
W-4	5677261	paper wall insulation	
W-5	5677262	Plaster wall	
W-6	5677263	Drywall	
W-7	5677264	Plaster Wall	



Larson & Darby Group

ARCHITECTS

ENGINEERS

INTERIORS

Celebrating
50 Years
in Business!

Mr. Seth Sommer
City of Rockford Building Department
425 E. State Street
Rockford, IL 61104

RE: 1538 Broadway Building Demolition
L&D #25151

Dear Seth:

At your request, Larson & Darby inspected the structure at 1538 Broadway. The purpose of inspection was to determine if the building can be torn down without affecting the adjacent structure.

The existing building is a two story wooden structure with a concrete wall basement. First floor, second floor and roof are wood joist construction bearing on outside walls and center bearing wall. Building exterior is brick over wood sheathing. There is a garage space and two story attached building to the north, but these do not touch the adjacent structure to the west.

The adjacent building to the west is a three story concrete joist system building with a brick façade. Parapet wall of this building is taller than the 1538 building which would indicate a separate structure. The back column of 1538 is separate from west building and bricks are different color.

Based on above noted facts, it would be Larson & Darby's opinion the two structures are separate and 1532 building does not bear on the 1538 building. There is a light well on the 1532 structure for the second and third story apartments. The light well roof does have flashing tying into adjacent building to be demolished, so care will need to be taken and repairs made. The concrete base wall of the 1532 building appeared in good shape and is supporting concrete floor systems. We feel when the structure to the east is removed the basement wall will support backfill. I would not recommend heavy compacting along the wall as for a parking surface, but to leave minimum of 6' as green space.

If you have any questions, please feel free to contact me at 815.484.0739 or email at bwaldorf@larsondarby.com.

Sincerely,

William J. Waldorf, S.E.
CEO

/slm

P:\25151 Rockford Bldg Demo Broadway\Correspondence\Letters\25151-sommer-llr-7-22-15-wjw.doc

1417 – 11th St. / PIN #: 11-25-362-030



Structures:

1. Large corner structure – 2 stories, has a common wall on west side and north side; and
2. Connecting link (garage), 1 story; and
3. Small, 2 story north end building

SPECIFICATIONS

1.0 Scope.

The City of Rockford requests bids from qualified companies to provide all labor, materials, equipment, and supplies necessary for the demolition of all structures, and remove all fences and scrub trees within property lines for the property known as 1417 – 11th St. (PIN #: 11-25-362-030). This building also has the address numbers of 1538 Broadway.

This building is built up to the adjacent property to the west (1526 Broadway, PIN #: 11-25-362-028), however, the structures are independent (see attached report from Larson & Darby). Contractor must follow any recommendations in the letter from Larson & Darby. Where in conflict with these specifications, follow the recommendation of the Structural Engineer: The demolition shall include all of the building structures including the foundation/footings.

2.0 General Requirements.

2.1 Vendor Qualifications. All bidders on this project must be designated as a Rockford licensed Class A demolition contractor. All bidders must have the appropriate class of license for the property being demolished prior to bidding. (see Appendix 'B' for Class descriptions).

2.1.1 The successful contractor shall commence demolition within 30 days of award and demolition shall be completed no later than 60 days from the date of the award. Once a property is started for demolition, the contractor shall complete the demolition within 30 days thereafter (Section 6-40 (b) City of Rockford Code of Ordinance). Failure to comply with any of these specifications may result in the revocation of the contractor's license, or cancellation of the City's contract. Asbestos abatement shall constitute the commencement of demolition.

2.1.2 All work shall be done in a workmanlike manner, in compliance with all local, state and federal codes applicable thereto, and said work shall be performed by workmen trained and skilled in the craft involved.

2.2 Basis of Award. The contract will be awarded to the lowest responsible and responsive bidder. The City reserves the right to request any information necessary to determine a vendor's ability to complete the work desired. This may include standard specification information and references from other clients. If these information requests are denied, the City reserves the right to reject the bid.

2.3 Evaluation of Bids. Contract award will be recommended for the vendor that is able to deliver the product specified in this document for the lowest price.

2.4 Examination of Site. Bidders shall carefully examine the project site(s). To eliminate misconceptions, verify dimensions, elevation, working conditions, transportation and storage facilities. Bidders shall give due consideration to same in preparing their proposals as no exceptions will be considered after awarding the contract; nor will the contractor be entitled to any extra compensation for his/her failure to verify conditions at the site. No

exceptions will be considered after awarding the contract; nor will the Contractor be entitled to any extra compensation for his/her failure to verify conditions at the existing site.

The City assumes no responsibility for the condition of existing buildings and structures, nor their continuance in the condition existing at the time of issuance of the contract price or allowance for any change in conditions which may occur after issuance of the Invitation for Bids has been issued will be made.

2.5 Insurance Requirements. Upon execution of the contract, and prior to the vendor commencing any work or services with regard to the project, the vendor shall carry commercial general liability insurance, umbrella liability insurance, and automobile liability insurance on ISO form CG 00 01 10 01 (or a substitute form providing equivalent coverage) and the vendor shall provide the City with a Certificate of Insurance and Additional Insured Endorsement on ISO form CG 20 10 11 85 (or substitute form providing equivalent coverage) or on the combination of ISO forms CG 20 10 10 01 and CG 20 37 10 01 (or substitute forms providing equivalent coverage) naming the City as Additional Insured thereunder. Additional insured coverage shall apply as primary insurance and be noncontributory with respect to any other insurance afforded to the City. All coverage shall be placed with an insurance company duly admitted in the State of Illinois and shall be reasonably acceptable to the City. All vendor insurance carriers must maintain an A.M. Best rating of "A" or better. Coverage shall be afforded to the additional insured whether or not a claim is in litigation.

The insurance coverage required above shall be of sufficient type, scope and duration to ensure coverage for the City for liability related to any manifestation date within the applicable statutes of limitation and/or repose which pertain to any work performed by or on behalf of the City in relation to the contract. The following insurance requirements shall apply to the successful firm for the duration of the contract unless explicitly waived by the Central Services Manager:

2.5.1 Commercial General Liability. The coverage available to the City, as Additional Insured, shall not be less than \$1 million each occurrence, \$2 million general aggregate (subject to a per project general aggregate provision applicable to the project), \$2 million products/completed operations aggregate and \$1 million personal and advertising injury limits. Such insurance shall cover liability arising from premises, operations, independent contractors, products-completed operations, personal and advertising injury, and liability assumed under an insured contract (including the tort liability of another assumed in a business contract).

2.5.2 Umbrella Liability. The coverage available to the City, as Additional Insured, shall not be less than \$2 million each occurrence, \$2 million generate aggregate. Such insurance shall cover liability arising from premises, operations, independent contractors, products-completed operations, personal and advertising injury, and liability assumed under an insured contract (including the tort liability of another assumed in a business contract).

2.5.3 Automobile Coverage. The coverage available to the City, as Additional Insured, shall include comprehensive automobile bodily injury and property damage liability

coverage for a minimum amount of \$1 million each occurrence, \$2 million general aggregate

- 2.5.4 Workers Compensation. Contractor shall maintain during the life of this contract statutory workmen's compensation and employer's liability insurance for all his employees engaged in work on the job site.
- 2.5.5 Insurance Certificates. Each Certificate of insurance shall provide that the insurer must give the City at least 30 days' prior written notice of cancellation and termination of the City's coverage thereunder. Not less than two weeks prior to the expiration, cancellation or termination of any such policy, the vendor shall supply the City with a new and replacement Certificate of Insurance and Additional Insured endorsement as proof of renewal of said original policy. Said new and replacement endorsements shall be similarly endorsed in favor of the City as set forth above.
- 2.6 Permits and Notices. Before obtaining a permit for demolition, the bidder shall provide documentation of disconnection of all utilities and shall provide verification/affidavit and copies of all notices sent to adjoining property owners of proposed demolition. Contractors will comply with all laws and regulations of any public authority having jurisdiction over the work. The Contractor will also, at his own expense, and in his own name, obtain all permits, certificates, and licenses required by the City; shall carry on all work under this contract in strict conformity therewith, and shall save and keep harmless the City of Rockford from any expense incurred thereby. There is no City of Rockford demolition permit fee for this project. Contractor must obtain proper permission from IDOT as required for this project.
- 2.7 Protection of Persons and Property. The use of explosives in the performance of the work of removing buildings shall be permitted only on written authorization of the Building Official, and then only in a manner provided by law. The Contractor shall assume and bear all risk of damage to the work, and all risk of any accident, or accidents, from whatsoever cause arising, until the work herein provided for shall be fully completed and accepted by the City.
- 2.8 Temporary Structures. The Contractor shall furnish and erect all temporary sidewalks, barricade covers and other temporary structures necessary for the proper and safe conduct of the work and shall remove all such temporary structures upon the completion of the work under contract, all without additional compensation therefor. The Contractor shall have a competent superintendent on the site at all times that work is in progress with full authority to act for him.
- 2.9 Salvage Value. The salvage value of the materials obtained from the demolition of the building shall be reflected in the lump sum price bid for Building Removal as herein specified.
- 2.10 Liquidated Damages. If the Contractor fails to perform the services within the time specified in the contract, the Contractor shall pay to the City liquidated damages for each calendar day delay in the amount of \$200 per day. The City may terminate this contract in whole or part as provided in the default provisions. In that event, the Contractor will be

liable for such liquidated damages accruing until such time as the City may reasonably obtain performance of similar services.

- 2.11 Payment. All work included in these specifications and related necessary tasks to prosecute this work to completion and to the satisfaction of the City of Rockford shall be limited to the total bid price. Contractors must submit dump receipts for each site as part of their payment request.

3.0 Detailed Specifications.

- 3.1 Bidders. Each bidder shall be qualified, properly licensed and bonded to operate the business of a Demolition Contractor in the City of Rockford.

- 3.2 Utilities. The Contractor shall arrange for the discontinuance of all utilities that serve the building(s) in accordance with the respective requirements and regulations of the City and utilities involved. The contractor shall disconnect and properly seal in an approved manner, the sanitary sewer outlet at the property line. **When exposing and cutting off sanitary service, fill service with a material backing and plug the line with grout.** Water service lines shall be disconnected at the property line. This work shall include all excavation, pavement removal and subsequent replacement and necessary granular backfill to complete the work. Any charges by the City Water Division for this work shall be included in the bid price. This work will be considered mandatory unless specific instructions are given in writing to the contrary. The cost for this work will not be paid separately but considered incidental to the price bid for building removal. The contractor shall keep the Building Official informed of his plans for the performance of any work in connection with the sealing off of such utilities in order that proper inspection can be provided at the time the work is performed. All work in the public right of way shall be done in accordance with Section 26-123 of the City of Rockford Code of Ordinances.

- 3.3 Inspection. The successful bidder shall, before sealing sewer line, have the City of Rockford Building Department and Rock River Water Reclamation District, make inspections before any back filling is started. The purpose of this requirement is to check to see if the sewer line is open to the trunk line. On-site inspections shall be made as the City of Rockford deems necessary. **Contact Rock River Water Reclamation District at (815) 387-7555 prior to demolition for scheduling of inspection.** The completed project shall be inspected before final payment is made.

- 3.4 Asbestos Removal. As part of the bid documents, the City of Rockford has completed an asbestos building survey. Attached are copies reflecting asbestos in the building. Do not proceed with asbestos removal until a purchase order is received. Contractor is responsible for abatement requirements. All related EPA notices and the **10-day notification of demolition required by the EPA must be sent to the City before demolition.** A fee of \$150 is to be paid to the Illinois EPA with each initial 10-working day notice required to be filed to perform demolition of asbestos-containing structures. **When asbestos abatement is required, confirmation must be provided to the City, by the licensed asbestos abatement contractor, that the abatement has been completed prior to the beginning of any demolition.** The licensed State of Illinois Asbestos Abatement Contractor shall remove and dispose of any identified asbestos in accordance with OSHA, EPA, DNR, Federal, State and

local requirements. The City may request, and the bidder must furnish, proof of current state license and necessary insurance for the selected Asbestos Abatement Contractor.

- 3.5 **Removal of Material.** The successful bidder shall remove all rubbish and waste resulting from the demolition work. The bidder shall use an approved dumpsite for depositing of all inert materials. Dump receipts must be retained and submitted to the City of Rockford within 7 days of completion of the demolition.
- 3.6 **Debris Disposal.** Each bidder shall provide with their bid the location where the debris from this demolition will be dumped. State licensed site(s) for dumping rubble or any other private site where clean debris will be accepted must be listed. The bidder shall leave the premises in such condition that it will not constitute a public nuisance.
- 3.8 **Basement, Foundation, and Misc.** The bidder shall remove all of the foundation walls, slabs, sidewalks, driveways, parking areas around structure and fences within property lines and basement. Also, remove all fences and scrub trees within property lines, remove junk vehicles, remove concrete slabs, foundations, and all debris to provide a clean site.
- 3.9 **Fill Material.** Openings, holes or basements shall be filled up to the surrounding ground level with sand, gravel, crushed stone or other material capable of compaction for subgrade and acceptable to Building Official. No debris, foundation walls and footing shall be used as fill material. The entire parcel shall be left in a level, neat, safe and sanitary condition.
- 3.10 **Site Demolition.** The Contractor shall provide all labor, materials, equipment, and supplies necessary to complete all items as described below. Any damage to property outside of what has been described in these specifications shall be restored to its original state or as directed by the Engineer, at the Contractors expense.

Erosion Control and Sediment Control. The Contractor shall provide all materials, labor, equipment and all other incidentals to provide proper Erosion and Sediment Control.

This work shall conform to the applicable portions of Section 280 of the Illinois Department of Transportation Standard Specifications for Road & Bridge Construction, City of Rockford Ordinances Chapters 26 & 109 and all requirements set forth in the Illinois Environmental Protection Agency's General NPDES Permit No. ILR10. The management practices, controls, and other provisions for erosion and sediment control must be at least as protective as the requirements contained in the Illinois Urban Manual.

Any deviation of installation practices from the standard details shall be submitted to the City for approval prior to placement.

The Contractor shall take special precautions to avoid tracking or spilling dirt and debris onto the adjacent roadways, sidewalks and other private or public areas. The Contractor shall remove, clean and/or sweep all debris material in and around the project site at the end of each work day to the satisfaction of the City, and properly dispose of the material.

Manhole protection, inlet protection and silt fencing may be necessary at times during some project operations.

Upon the completion of final grading and seeding, the Contractor shall install erosion control blanket around the perimeter of all disturbed areas. The installation shall be 8 feet wide and installed to the manufacturer's instructions.

Sidewalks, Driveways, Curbs and Paved Areas. All public sidewalks and curbs shall remain undisturbed. All paved bituminous surfaces and concrete slabs within the demolition site but outside of the building footprints shall be completely removed. This recovered material shall be processed in accordance with Local, State and Federal Regulations.

Miscellaneous Items Onsite or Adjacent. All signs, flagpoles, foundations, patios, fences, garages, sheds, and rubbish within the properties shall be completely removed.

Vegetation. All logs, bushes, saplings, landscaping, shrubs, brush, and stumps of a diameter less than 6" shall be completely removed.

Storage Tanks. In the event that underground storage tanks exist within the building to be removed, or on the premises of same, in accordance with State and City Fire Department regulations, unless otherwise directed by the Building Official, they shall be removed and disposed of by the Contractor. The Contractor shall submit itemized prices to the City for approval. The price must be agreed upon before the tank removal can begin. This work shall be paid for at the contract unit price per lump sum, which price shall include furnishing all labor, permits, materials, equipment, services and backfill material required for the removal & disposal of the tanks & its contents and restoration of the disturbed area to a level elevation.

1536 Broadway Building Restoration. Any newly exposed areas of this building where the demolished building (1417 – 11th St.) was attached shall be restored, repaired and/or rebuilt with like material of the surrounding building or as directed by the Engineer. These areas must be sealed and weatherized to prevent any elements from outside to enter the inside of building. Any damage to this building and/or surrounding property shall be properly repaired as directed by the Engineer, at the Contractors expense.

Site Conditions. At the end of each work day, the Contractor shall leave the premises in such condition that it will not constitute a public nuisance or hazard. This shall include removing debris from public streets, terrace, and sidewalks that are open to the public.

- 3.11 FINALIZING THE SITE. The Contractor shall provide all labor, materials, equipment, and supplies necessary for the restoration of the site as described below.

Fill Material. Openings, holes, basements or cellars shall be filled up to the surrounding ground level with gravel, crushed road stone or other approved material compacted to 95% compaction in accordance with ASTM D-698 and acceptable to the City Engineer. The work shall be performed according to Section 207 of the "Standard Specifications": and the following:

A vibratory roller shall be used to roll each lift of material to obtain the desired keying or interlock and necessary compaction. The Engineer will verify that adequate keying has been obtained.

No debris shall be used as fill material. The entire parcel shall be left in a level, neat, safe and sanitary condition.

Final Grade. Upon the completion of the demolition and removal operations, the final grade of the whole properties must consist of a smooth grade consistent with the grades of the surrounding properties.

The Contractor shall complete final grading in such a way to ensure the site has proper drainage, there is no ponding of water, and that run off does not cause damage to adjacent properties.

Site Restoration – Topsoil & Seeding. This work shall consist of finish grading all disturbed areas, including the location of the demolished building, with 4" of topsoil and seeding. Topsoil material shall be indigenous to Winnebago County and may be used providing it meets with the requirements of Article 1081.05 of the Standard Specifications and has no more than 55 percent sand content as determined in accordance with AASHTO T88. Seeding method shall consist of applying seed, fertilizer and wood mulch hydraulically on prepared seed bed in accordance with IDOT Section 250 and 251 in so far as said sections apply.

Seeding Class I: Revise IDOT Article 250.07 to read: "Regardless of season, all disturbed areas shall be seeded with following mixture:

<u>Turf Type Fescue</u>	<u>50 lbs/acre</u>
<u>Kentucky Blue Grass</u>	<u>50 lbs/acre</u>
<u>Manhattan Rye</u>	<u>100 lbs/acre OR EQUAL</u>
<u>Ruby Creeping Red Fescue</u>	<u>100 lbs/acre</u>

Seeding will be permitted from April 1 to May 30 and from August 1, to October 10, unless approved by Engineer.

Guarantee: All seeded areas shall be maintained through the first growing season after application including mowing. Scattered bare spots no larger than two square foot will be allowed up to a maximum of 5% of any seeded area.

- 3.12 Completion of Demolition. Demolition shall be conducted in a safe manner and suitable protection shall be provided for the public as required and specified by the current City Building code requirements for demolition, protection of the public, protection of existing buildings and protection of adjoining properties. The successful contractor shall commence demolition within 30 days of award and demolition shall be completed no later than 60 days from the date of the award. Once a property is started for demolition, the contractor shall complete the demolition within 30 days thereafter (Section 6-40 (b) City of Rockford Code of Ordinance). Failure to comply with any of these specifications may result in the

revocation of the contractor's license, or cancellation of the City's contract. Asbestos abatement shall constitute the commencement of demolition.

3.13 Basis of Payment. All of the work included in these documents and related to or necessary to prosecute this work to completion and to the satisfaction of the City of Rockford, shall be paid for at the contract lump sum price for Demolition and Site Clearance.

3.14 Retainage Amount. The City will withhold 10% of the total contract amount until the site has been inspected and receives final approval of work completed.

4.0 Deconstruction:

Preference may be given to contractors that incorporate deconstruction methods into the demolition. This shall include "soft stripping" [removal of "NON-STRUCTURAL " items including but not limited to doors (interior and exterior), windows, appliances (stove, refrigerator, dishwasher), furnaces, water heaters, water softener, plumbing fixtures (toilets, tubs, sinks,), kitchen and bathroom cabinets, countertops, trim boards, other fixtures and other miscellaneous salvageable materials from the structures}, construction material salvage, landfill diversion, re-use and recycling of materials, and other accepted deconstruction practices. Contractor must provide detailed plan for deconstruction work to be completed per address. The structure must still be demolished within the allotted demolition period in these specifications. Asbestos abatement and mandatory waiting period must be completed before deconstruction may begin. Awarded contractor is responsible to coordinate and manage deconstruction process. See appendix 'C'.

CITY OF ROCKFORD, ILLINOIS

APPENDIX A

Bid On: Demolition of 1417 – 11th Street

Bid No.: 715-CD-095

Bid Dollar Amount: \$ _____

Name of disposal site: _____

Location of site: _____

Person, Firm, or Corporation

Authorized Signature and Title

APPENDIX B

Sec. 105-273. - Class of licenses and qualifications.

(a) *Classifications.* There shall be three classes of licenses for demolition that shall be based upon the qualifications, experience and knowledge of the licensee to properly conduct various types of demolitions:

(1) *Class A.* A class A license shall allow the license holder to perform all types of demolitions subject to the provisions of the city building code and all other applicable city ordinances and other regulations in effect. Applicants for a class A license must demonstrate five years of experience actively engaged in the business of demolition and three years of experience over that time in the demolition of all of the following types of buildings:

- a. Buildings over two stories in height that shall not include attic space or over 45 feet in height;
- b. Buildings situated on a lot less than ten feet from adjacent buildings or sidewalks;
- c. Buildings with common or party walls shared with an adjacent property or located immediately adjacent to a right-of-way; and
- d. Buildings determined by a qualified person to be structurally unsound.

(2) *Class B.* A class B license shall allow the license holder to perform the types of demolitions listed in subsections (2)a, (2)b and (2)c of this section. Applicants for a class B license must demonstrate three years of experience actively engaged in the business of demolition and successful demolition of a minimum of ten buildings.

- a. Buildings two stories or less and less than 45 feet in height;
- b. Buildings in excess of ten feet from the adjacent buildings or sidewalk; and
- c. Buildings listed in subsections (1)a. through (1)d. of this section, under the supervision of, and permit issued to, a class A license holder.

(3) *Class C.* A class C license shall allow the license holder to perform the types of demolitions listed in subsections (3)a, (3)b and (3)c of this section. Applicants for a class C license must demonstrate two years of experience actively engaged in the business of building construction and/or demolition of accessory structures and/or detached garages associated with residential occupancies and successful construction and/or demolition of a minimum of five buildings.

- a. Buildings one story and less than 25 feet in height.
- b. Buildings in excess of ten feet from adjacent buildings or sidewalk.
- c. Detached accessory buildings or garages associated with residential occupancies.

(b) *License expiration.* Licenses shall be good for one calendar year or any part thereof and shall expire on December 31.

(Code 1970, § 6-38; Ord. No. 1994-134-O, 5-9-1994)

APPENDIX C

Deconstruction Plan: List materials and/or plan to utilize deconstruction methods

1. "Soft stripping" [removal of "NON-STRUCTURAL " items including but not limited to doors (interior and exterior), windows, appliances (stove, refrigerator, dishwasher), furnaces, water heaters, water softener, plumbing fixtures (toilets, tubs, sinks,)), kitchen and bathroom cabinets, countertops, trim boards, other fixtures and other miscellaneous salvageable materials from the structures]

2. Construction material salvage:

3. Landfill diversion:

4. Re-use and recycling of materials